



U.S. Department
of Transportation
**Federal Aviation
Administration**

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

**AeroLEDs LLC
8475 West Elisa St.
Boise, ID 83709**

**PMA No. PQ5259NM
Supplement No. 7
Date: _____**

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Aerostar	PA-60-600 (Aerostar 600), PA-60-601 (Aerostar 601), PA-60-601P (Aerostar 601P), PA-60- 602P (Aerostar 602P), PA-60- 700P (Aerostar 700P)
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	65 (L-23F), 65- A90-1 (JU- 21A), A65 (U- 21A), A-65- 8200 (RU- 21A), 65-80 (RU-21D), 65- A80 (U-21G), 65-A80-8800 (RU-21H), 65- B80 65-A90-2 (RU-21B), 65- 88 65-A90-3 (RU-21C), 65- 90 65-A90-4 (RU-21E), 65- A90 (RU-21H), 70, B90, H90 (T-44A)

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	35-33, 35-A33, 35-B33, 35- C33, 35-C33A, E33, E33A, E33C,F33, F33A, F33C, G33, H35, G36, J35, K35, M35, N35, P35, S35, V35, V35A, V35B, 36, A36, A36TC, B36TC
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	35, A35, B35, C35, D35, E35, F35, G35, 35R
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	50 (L-23A), B50 (L-23B), C50, D50 (L- 23E), D50A, D50B, D50C, D50E, D50E- 5990, E50 (L- 23D, RL23D), F50, G50, H50, J50
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	B95A, D95A, E95, 95-55, 95- A55, 95-B55, 95-B55A, 95- B55B (T-42), 95-C55, 95- C55A, G58, D55, D55A, E55, E55A, 56TC, A56TC, 58, 58A, 95, B95
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	58P, 58PA, 58TC, 58TCA

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	99, 99A, 99A (FACH), A99, A99A, B99, C99, 100, A100 (U-21F), A100A, A100C, B100
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	200, 200C, 200CT, 200T, B200, B200C, B200CT, B200T, 300, 300LW, B300, B300C, B300C (MC-12W), B300C (UC- 12W), 1900, 1900C, 1900C (C-12J), 1900D, A100-1 (U- 21J), A200 (C- 12A), A200 (C- 12C), A200C (UC-12B), A200CT (C- 12D), A200CT (FWC-12D), A200CT (C- 12F), A200CT (RC-12D), A200CT (RC- 12G), A200CT (RC-12H), A200CT (RC- 12K), A200CT (RC-12P), A200CT (RC- 12Q), B200C (C-12F), B200C (UC-12M), B200C (C- 12R), B200C (UC-12F), B200GT, B200CGT
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	19A, B19, M19A, 23, A23, A23A, A23-19, A23- 24, B23, C23, A24, A24R, B24R, C24R

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	76
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	77
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	60, A60, B60
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	310, 310A (USAF U-3A), 310B, 310C, 310D, 310E (USAF U-3B), 310F, 310G, 310H, E310H, 310I, 310J, 310J-1, 310K, 310L, 310N, 310P, T310P, 310Q, T310Q, 310R, T310R
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	320, 320-1, 320A, 320B, 320C, 320D, 320E, 320F, 335, 340, 340A
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	336

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	337, 337A (USAF 02B), 337B, M337B (USAF 02A), T337B, 337C, T337C, 337D, T337D, 337E, T337E, 337F, T337F, 337G, T337G, 337H, P337H, T337H, T337H-SP
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	F337E, FT337E, F337F, FT337F, F337G, FT337GP, F337H, FT337HP
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	401, 401A, 401B, 402, 402A, 402B, 402C, 411, 411A, 414, 414A, 421, 421A, 421B, 421C, 425
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	404, 406
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	441
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Commander	112, 112B, 112TC, 112TCA, 114, 114A, 114B, 114TC

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Maule	BEE DEE M-4, M-4, M-4C, M- 4S, M-4T, M-4- 180C, M-4- 180S, M-4- 180T, M-4-210, M-4-210C, M- 4-210S, M-4- 210T, M-4-220, M-4-220C, M- 4-220S, M-4- 220T, M-5- 180C, M-5-200, M-5-210C, M- 5-210TC, M-5- 220C, M-5- 235C, M-6-180, M-6-235, M-7- 235, MX-7-180, MX-7-235, MX-7-180, MX-7-420, MXT-7-180, MT-7-235, M- 8-235, MX-7- 160, MXT-7- 160, MX-7- 180A, MXT-7- 180A, MX-7- 180B, M-7- 235B, M-7- 235A, M-7- 235C, MX-7- 180C, M-7-260, M-7-260C, M- 7-420AC, MX- 7-160C, MX-7- 180AC, M-7- 420A, MT-7- 420
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Mooney International Corporation	M20, M20A, M20B, M20C, M20D, M20E, M20F, M20G, M20J, M20K, M20L, M20M, M20R, M20S, M20TN

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Mooney International Corporation	M22
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Lavia Argentina S.A.	PA-25, PA-25-235, PA-25-260
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Socata	TB 9, TB 10, TB 20, TB 21, TB 200
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Socata Morane Saulnier (Rallye) Series	MS 880B, MS 885, MS 894A, MS 893A, MS 892A-150, MS 892E-150, MS 893E, MS 894E, Rallye 100S, Rallye 150T, Rallye 150ST, Rallye 235E, Rallye 235C
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Twin Commander	500, 500-A, 500-B, 500-U, 520, 560, 560-A, 560-E, 500-S
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Twin Commander	560-F, 680, 680E, 680F, 720, 680FL, 680FL(P), 680T, 680V, 680W, 681, 690, 685, 690A, 690B, 690C, 690D, 695, 695A, 695B

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	True Flight Holdings	AA-1, AA-1A, AA-1B, AA-1C
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	True Flight Holdings	AA-5, AA-5A, AA-5B, AG-5B
Sunspot 36 HX-Landing	01-1030-H-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Viking Air Limited	DHC-6-400
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Aerostar	PA-60-600 (Aerostar 600), PA-60-601 (Aerostar 601), PA-60-601P (Aerostar 601P), PA-60- 602P (Aerostar 602P), PA-60- 700P (Aerostar 700P)
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	65 (L-23F), 65- A90-1 (JU- 21A), A65 (U- 21A), A-65- 8200 (RU- 21A), 65-80 (RU-21D), 65- A80 (U-21G), 65-A80-8800 (RU-21H), 65- B80 65-A90-2 (RU-21B), 65- 88 65-A90-3 (RU-21C), 65- 90 65-A90-4 (RU-21E), 65- A90 (RU-21H), 70, B90, H90 (T-44A)

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	35-33, 35-A33, 35-B33, 35- C33, 35-C33A, E33, E33A, E33C,F33, F33A, F33C, G33, H35, G36, J35, K35, M35, N35, P35, S35, V35, V35A, V35B, 36, A36, A36TC, B36TC
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	35, A35, B35, C35, D35, E35, F35, G35, 35R
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	50 (L-23A), B50 (L-23B), C50, D50 (L- 23E), D50A, D50B, D50C, D50E, D50E- 5990, E50 (L- 23D, RL23D), F50, G50, H50, J50
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	B95A, D95A, E95, 95-55, 95- A55, 95-B55, 95-B55A, 95- B55B (T-42), 95-C55, 95- C55A, G58, D55, D55A, E55, E55A, 56TC, A56TC, 58, 58A, 95, B95
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	58P, 58PA, 58TC, 58TCA

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	99, 99A, 99A (FACH), A99, A99A, B99, C99, 100, A100 (U-21F), A100A, A100C, B100
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	200, 200C, 200CT, 200T, B200, B200C, B200CT, B200T, 300, 300LW, B300, B300C, B300C (MC-12W), B300C (UC- 12W), 1900, 1900C, 1900C (C-12J), 1900D, A100-1 (U- 21J), A200 (C- 12A), A200 (C- 12C), A200C (UC-12B), A200CT (C- 12D), A200CT (FWC-12D), A200CT (C- 12F), A200CT (RC-12D), A200CT (RC- 12G), A200CT (RC-12H), A200CT (RC- 12K), A200CT (RC-12P), A200CT (RC- 12Q), B200C (C-12F), B200C (UC-12M), B200C (C- 12R), B200C (UC-12F), B200GT, B200CGT

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	19A, B19, M19A, 23, A23, A23A, A23-19, A23- 24, B23, C23, A24, A24R, B24R, C24R
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	76
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	77
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	60, A60, B60
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	310, 310A (USAF U-3A), 310B, 310C, 310D, 310E (USAF U-3B), 310F, 310G, 310H, E310H, 310I, 310J, 310J-1, 310K, 310L, 310N, 310P, T310P, 310Q, T310Q, 310R, T310R
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	320, 320-1, 320A, 320B, 320C, 320D, 320E, 320F, 335, 340, 340A

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	336
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	337, 337A (USAF 02B), 337B, M337B (USAF 02A), T337B, 337C, T337C, 337D, T337D, 337E, T337E, 337F, T337F, 337G, T337G, 337H, P337H, T337H, T337H-SP
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	F337E, FT337E, F337F, FT337F, F337G, FT337GP, F337H, FT337HP
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	401, 401A, 401B, 402, 402A, 402B, 402C, 411, 411A, 414, 414A, 421, 421A, 421B, 421C, 425
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	404, 406
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	441

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Commander	112, 112B, 112TC, 112TCA, 114, 114A, 114B, 114TC
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Maule	BEE DEE M-4, M-4, M-4C, M- 4S, M-4T, M-4- 180C, M-4- 180S, M-4- 180T, M-4-210, M-4-210C, M- 4-210S, M-4- 210T, M-4-220, M-4-220C, M- 4-220S, M-4- 220T, M-5- 180C, M-5-200, M-5-210C, M- 5-210TC, M-5- 220C, M-5- 235C, M-6-180, M-6-235, M-7- 235, MX-7-180, MX-7-235, MX-7-180, MX-7-420, MXT-7-180, MT-7-235, M- 8-235, MX-7- 160, MXT-7- 160, MX-7- 180A, MXT-7- 180A, MX-7- 180B, M-7- 235B, M-7- 235A, M-7- 235C, MX-7- 180C, M-7-260, M-7-260C, M- 7-420AC, MX- 7-160C, MX-7- 180AC, M-7- 420A, MT-7- 420

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Mooney International Corporation	M20, M20A, M20B, M20C, M20D, M20E, M20F, M20G, M20J, M20K, M20L, M20M, M20R, M20S, M20TN
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Mooney International Corporation	M22
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Lavia Argentina S.A.	PA-25, PA-25- 235, PA-25-260
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Socata	TB 9, TB 10, TB 20, TB 21, TB 200
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Socata Morane Saulnier (Rallye) Series	MS 880B, MS 885, MS 894A, MS 893A, MS 892A-150, MS 892E-150, MS 893E, MS 894E, Rallye 100S, Rallye 150T, Rallye 150ST, Rallye 235E, Rallye 235C
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Twin Commander	500, 500-A, 500-B, 500-U, 520, 560, 560- A, 560-E, 500-S

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Twin Commander	560-F, 680, 680E, 680F, 720, 680FL, 680FL(P), 680T, 680V, 680W, 681, 690, 685, 690A, 690B, 690C, 690D, 695, 695A, 695B
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	True Flight Holdings	AA-1, AA-1A, AA-1B, AA-1C
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	True Flight Holdings	AA-5, AA-5A, AA-5B, AG-5B
Sunspot 36 HX-Taxi	01-1030-H-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-H-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Viking Air Limited	DHC-6-400
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Aerostar	PA-60-600 (Aerostar 600), PA-60-601 (Aerostar 601), PA-60-601P (Aerostar 601P), PA-60- 602P (Aerostar 602P), PA-60- 700P (Aerostar 700P)

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	65 (L-23F), 65- A90-1 (JU- 21A), A65 (U- 21A), A-65- 8200 (RU- 21A), 65-80 (RU-21D), 65- A80 (U-21G), 65-A80-8800 (RU-21H), 65- B80 65-A90-2 (RU-21B), 65- 88 65-A90-3 (RU-21C), 65- 90 65-A90-4 (RU-21E), 65- A90 (RU-21H), 70, B90, H90 (T-44A)
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	35-33, 35-A33, 35-B33, 35- C33, 35-C33A, E33, E33A, E33C,F33, F33A, F33C, G33, H35, G36, J35, K35, M35, N35, P35, S35, V35, V35A, V35B, 36, A36, A36TC, B36TC
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	35, A35, B35, C35, D35, E35, F35, G35, 35R
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	50 (L-23A), B50 (L-23B), C50, D50 (L- 23E), D50A, D50B, D50C, D50E, D50E- 5990, E50 (L- 23D, RL23D), F50, G50, H50, J50

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	B95A, D95A, E95, 95-55, 95- A55, 95-B55, 95-B55A, 95- B55B (T-42), 95-C55, 95- C55A, G58, D55, D55A, E55, E55A, 56TC, A56TC, 58, 58A, 95, B95
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	58P, 58PA, 58TC, 58TCA
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	99, 99A, 99A (FACH), A99, A99A, B99, C99, 100, A100 (U-21F), A100A, A100C, B100

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	200, 200C, 200CT, 200T, B200, B200C, B200CT, B200T, 300, 300LW, B300, B300C, B300C (MC-12W), B300C (UC- 12W), 1900, 1900C, 1900C (C-12J), 1900D, A100-1 (U- 21J), A200 (C- 12A), A200 (C- 12C), A200C (UC-12B), A200CT (C- 12D), A200CT (FWC-12D), A200CT (C- 12F), A200CT (RC-12D), A200CT (RC- 12G), A200CT (RC-12H), A200CT (RC- 12K), A200CT (RC-12P), A200CT (RC- 12Q), B200C (C-12F), B200C (UC-12M), B200C (C- 12R), B200C (UC-12F), B200GT, B200CGT
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	19A, B19, M19A, 23, A23, A23A, A23-19, A23- 24, B23, C23, A24, A24R, B24R, C24R
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	76

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	77
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	60, A60, B60
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	310, 310A (USAF U-3A), 310B, 310C, 310D, 310E (USAF U-3B), 310F, 310G, 310H, E310H, 310I, 310J, 310J-1, 310K, 310L, 310N, 310P, T310P, 310Q, T310Q, 310R, T310R
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	320, 320-1, 320A, 320B, 320C, 320D, 320E, 320F, 335, 340, 340A
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	336

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	337, 337A (USAF 02B), 337B, M337B (USAF 02A), T337B, 337C, T337C, 337D, T337D, 337E, T337E, 337F, T337F, 337G, T337G, 337H, P337H, T337H, T337H-SP
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	F337E, FT337E, F337F, FT337F, F337G, FT337GP, F337H, FT337HP
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	401, 401A, 401B, 402, 402A, 402B, 402C, 411, 411A, 414, 414A, 421, 421A, 421B, 421C, 425
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	404, 406
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	441
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Commander	112, 112B, 112TC, 112TCA, 114, 114A, 114B, 114TC

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Maule	BEE DEE M-4, M-4, M-4C, M- 4S, M-4T, M-4- 180C, M-4- 180S, M-4- 180T, M-4-210, M-4-210C, M- 4-210S, M-4- 210T, M-4-220, M-4-220C, M- 4-220S, M-4- 220T, M-5- 180C, M-5-200, M-5-210C, M- 5-210TC, M-5- 220C, M-5- 235C, M-6-180, M-6-235, M-7- 235, MX-7-180, MX-7-235, MX-7-180, MX-7-420, MXT-7-180, MT-7-235, M- 8-235, MX-7- 160, MXT-7- 160, MX-7- 180A, MXT-7- 180A, MX-7- 180B, M-7- 235B, M-7- 235A, M-7- 235C, MX-7- 180C, M-7-260, M-7-260C, M- 7-420AC, MX- 7-160C, MX-7- 180AC, M-7- 420A, MT-7- 420
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Mooney International Corporation	M20, M20A, M20B, M20C, M20D, M20E, M20F, M20G, M20J, M20K, M20L, M20M, M20R, M20S, M20TN

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Mooney International Corporation	M22
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Lavia Argentina S.A.	PA-25, PA-25-235, PA-25-260
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Socata	TB 9, TB 10, TB 20, TB 21, TB 200
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Socata Morane Saulnier (Rallye) Series	MS 880B, MS 885, MS 894A, MS 893A, MS 892A-150, MS 892E-150, MS 893E, MS 894E, Rallye 100S, Rallye 150T, Rallye 150ST, Rallye 235E, Rallye 235C
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Twin Commander	500, 500-A, 500-B, 500-U, 520, 560, 560-A, 560-E, 500-S
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Twin Commander	560-F, 680, 680E, 680F, 720, 680FL, 680FL(P), 680T, 680V, 680W, 681, 690, 685, 690A, 690B, 690C, 690D, 695, 695A, 695B

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	True Flight Holdings	AA-1, AA-1A, AA-1B, AA-1C
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	True Flight Holdings	AA-5, AA-5A, AA-5B, AG-5B
Sunspot 36 LX-Landing	01-1030-L-A	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Viking Air Limited	DHC-6-400
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-A <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Aerostar	PA-60-600 (Aerostar 600), PA-60-601 (Aerostar 601), PA-60-601P (Aerostar 601P), PA-60- 602P (Aerostar 602P), PA-60- 700P (Aerostar 700P)
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	65 (L-23F), 65- A90-1 (JU- 21A), A65 (U- 21A), A-65- 8200 (RU- 21A), 65-80 (RU-21D), 65- A80 (U-21G), 65-A80-8800 (RU-21H), 65- B80 65-A90-2 (RU-21B), 65- 88 65-A90-3 (RU-21C), 65- 90 65-A90-4 (RU-21E), 65- A90 (RU-21H), 70, B90, H90 (T-44A)

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	35-33, 35-A33, 35-B33, 35- C33, 35-C33A, E33, E33A, E33C,F33, F33A, F33C, G33, H35, G36, J35, K35, M35, N35, P35, S35, V35, V35A, V35B, 36, A36, A36TC, B36TC
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	35, A35, B35, C35, D35, E35, F35, G35, 35R
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	50 (L-23A), B50 (L-23B), C50, D50 (L- 23E), D50A, D50B, D50C, D50E, D50E- 5990, E50 (L- 23D, RL23D), F50, G50, H50, J50
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	B95A, D95A, E95, 95-55, 95- A55, 95-B55, 95-B55A, 95- B55B (T-42), 95-C55, 95- C55A, G58, D55, D55A, E55, E55A, 56TC, A56TC, 58, 58A, 95, B95
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	58P, 58PA, 58TC, 58TCA

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	99, 99A, 99A (FACH), A99, A99A, B99, C99, 100, A100 (U-21F), A100A, A100C, B100
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	200, 200C, 200CT, 200T, B200, B200C, B200CT, B200T, 300, 300LW, B300, B300C, B300C (MC-12W), B300C (UC-12W), 1900, 1900C, 1900C (C-12J), 1900D, A100-1 (U-21J), A200 (C-12A), A200 (C-12C), A200C (UC-12B), A200CT (C-12D), A200CT (FWC-12D), A200CT (C-12F), A200CT (RC-12D), A200CT (RC-12G), A200CT (RC-12H), A200CT (RC-12K), A200CT (RC-12P), A200CT (RC-12Q), B200C (C-12F), B200C (UC-12M), B200C (C-12R), B200C (UC-12F), B200GT, B200CGT
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	19A, B19, M19A, 23, A23, A23A, A23-19, A23-24, B23, C23, A24, A24R, B24R, C24R

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	76
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	77
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Beechcraft	60, A60, B60
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	310, 310A (USAF U-3A), 310B, 310C, 310D, 310E (USAF U-3B), 310F, 310G, 310H, E310H, 310I, 310J, 310J-1, 310K, 310L, 310N, 310P, T310P, 310Q, T310Q, 310R, T310R
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	320, 320-1, 320A, 320B, 320C, 320D, 320E, 320F, 335, 340, 340A
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	336

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	337, 337A (USAF 02B), 337B, M337B (USAF 02A), T337B, 337C, T337C, 337D, T337D, 337E, T337E, 337F, T337F, 337G, T337G, 337H, P337H, T337H, T337H-SP
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	F337E, FT337E, F337F, FT337F, F337G, FT337GP, F337H, FT337HP
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	401, 401A, 401B, 402, 402A, 402B, 402C, 411, 411A, 414, 414A, 421, 421A, 421B, 421C, 425
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	404, 406
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Textron Aviation Inc.	441
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Commander	112, 112B, 112TC, 112TCA, 114, 114A, 114B, 114TC

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Maule	BEE DEE M-4, M-4, M-4C, M- 4S, M-4T, M-4- 180C, M-4- 180S, M-4- 180T, M-4-210, M-4-210C, M- 4-210S, M-4- 210T, M-4-220, M-4-220C, M- 4-220S, M-4- 220T, M-5- 180C, M-5-200, M-5-210C, M- 5-210TC, M-5- 220C, M-5- 235C, M-6-180, M-6-235, M-7- 235, MX-7-180, MX-7-235, MX-7-180, MX-7-420, MXT-7-180, MT-7-235, M- 8-235, MX-7- 160, MXT-7- 160, MX-7- 180A, MXT-7- 180A, MX-7- 180B, M-7- 235B, M-7- 235A, M-7- 235C, MX-7- 180C, M-7-260, M-7-260C, M- 7-420AC, MX- 7-160C, MX-7- 180AC, M-7- 420A, MT-7- 420
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Mooney Internatioinal Corporation	M20, M20A, M20B, M20C, M20D, M20E, M20F, M20G, M20J, M20K, M20L, M20M, M20R, M20S, M20TN

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Mooney International Corporation	M22
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Lavia Argentina S.A.	PA-25, PA-25-235, PA-25-260
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Socata	TB 9, TB 10, TB 20, TB 21, TB 200
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Socata Morane Saulnier (Rallye) Series	MS 880B, MS 885, MS 894A, MS 893A, MS 892A-150, MS 892E-150, MS 893E, MS 894E, Rallye 100S, Rallye 150T, Rallye 150ST, Rallye 235E, Rallye 235C
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Twin Commander	500, 500-A, 500-B, 500-U, 520, 560, 560-A, 560-E, 500-S
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Twin Commander	560-F, 680, 680E, 680F, 720, 680FL, 680FL(P), 680T, 680V, 680W, 681, 690, 685, 690A, 690B, 690C, 690D, 695, 695A, 695B

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	True Flight Holdings	AA-1, AA-1A, AA-1B, AA-1C
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	True Flight Holdings	AA-5, AA-5A, AA-5B, AG-5B
Sunspot 36 LX-Taxi	01-1030-L-B	Modification Part	STC SA02386AK <u>DWG No:</u> 01-1030-L-B <u>Rev:</u> C <u>Dated:</u> 4/22/2015 or later FAA-approved revisions	Viking Air Limited	DHC-6-400
Sunspot 46 HX	01-2130-HX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-HX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Beechcraft	35-33, 35-A33, 35-B33, 35-C33, 35-C33A, E33, E33A, E33C, F33, F33A, F33C, G33, H35, G36, J35, K35, M35, N35, P35, S35, V35, V35A, V35B, 36, A36, A36TC, B36TC
Sunspot 46 HX	01-2130-HX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-HX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Beechcraft	35, A35, B35, C35, D35, E35, F35, G35, 35R
Sunspot 46 HX	01-2130-HX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-HX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Beechcraft	50 (L-23A), B50 (L-23B), C50, D50 (L-23E), D50A, D50B, D50C, D50E, D50E-5990, E50 (L-23D, RL23D), F50, G50, H50, J50

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 46 HX	01-2130-HX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-HX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Beechcraft	B95A, D95A, E95, 95-55, 95- A55, 95-B55, 95-B55A, 95- B55B (T-42), 95-C55, 95- C55A, G58, D55, D55A, E55, E55A, 56TC, A56TC, 58, 58A, 95, B95
Sunspot 46 HX	01-2130-HX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-HX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Beechcraft	58P, 58PA, 58TC, 58TCA
Sunspot 46 HX	01-2130-HX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-HX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Beechcraft	99, 99A, 99A (FACH), A99, A99A, B99, C99, 100, A100 (U-21F), A100A, A100C, B100

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 46 HX	01-2130-HX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-HX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Beechcraft	200, 200C, 200CT, 200T, B200, B200C, B200CT, B200T, 300, 300LW, B300, B300C, B300C (MC-12W), B300C (UC- 12W), 1900, 1900C, 1900C (C-12J), 1900D, A100-1 (U- 21J), A200 (C- 12A), A200 (C- 12C), A200C (UC-12B), A200CT (C- 12D), A200CT (FWC-12D), A200CT (C- 12F), A200CT (RC-12D), A200CT (RC- 12G), A200CT (RC-12H), A200CT (RC- 12K), A200CT (RC-12P), A200CT (RC- 12Q), B200C (C-12F), B200C (UC-12M), B200C (C- 12R), B200C (UC-12F), B200GT, B200CGT
Sunspot 46 HX	01-2130-HX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-HX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Textron Aviation Inc.	310, 310A (USAF U-3A), 310B, 310C, 310D, 310E (USAF U-3B), 310F, 310G, 310H, E310H, 310I, 310J, 310J-1, 310K, 310L, 310N, 310P, T310P, 310Q, T310Q, 310R, T310R

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 46 HX	01-2130-HX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-HX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Textron Aviation Inc.	320, 320-1, 320A, 320B, 320C, 320D, 320E, 320F, 335, 340, 340A
Sunspot 46 HX	01-2130-HX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-HX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Textron Aviation Inc.	401, 401A, 401B, 402, 402A, 402B, 402C, 411, 411A, 414, 414A, 421, 421A, 421B, 421C, 425
Sunspot 46 HX	01-2130-HX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-HX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Textron Aviation Inc.	404, 406
Sunspot 46 HX	01-2130-HX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-HX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Textron Aviation Inc.	441
Sunspot 46 HX	01-2130-HX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-HX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Mooney International Corporation	M20, M20A, M20B, M20C, M20D, M20E, M20F, M20G, M20J, M20K, M20L, M20M, M20R, M20S, M20TN
Sunspot 46 HX	01-2130-HX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-HX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Mooney International Corporation	M22
Sunspot 46 HX	01-2130-HX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-HX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Viking Air Limited	DHC-6-400

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 46 LX	01-2130-LX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-LX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Beechcraft	35-33, 35-A33, 35-B33, 35-C33, 35-C33A, E33, E33A, E33C, F33, F33A, F33C, G33, H35, G36, J35, K35, M35, N35, P35, S35, V35, V35A, V35B, 36, A36, A36TC, B36TC
Sunspot 46 LX	01-2130-LX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-LX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Beechcraft	35, A35, B35, C35, D35, E35, F35, G35, 35R
Sunspot 46 LX	01-2130-LX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-LX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Beechcraft	50 (L-23A), B50 (L-23B), C50, D50 (L-23E), D50A, D50B, D50C, D50E, D50E-5990, E50 (L-23D, RL23D), F50, G50, H50, J50
Sunspot 46 LX	01-2130-LX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-LX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Beechcraft	B95A, D95A, E95, 95-55, 95-A55, 95-B55, 95-B55A, 95-B55B (T-42), 95-C55, 95-C55A, G58, D55, D55A, E55, E55A, 56TC, A56TC, 58, 58A, 95, B95
Sunspot 46 LX	01-2130-LX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-LX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Beechcraft	58P, 58PA, 58TC, 58TCA

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 46 LX	01-2130-LX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-LX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Beechcraft	99, 99A, 99A (FACH), A99, A99A, B99, C99, 100, A100 (U-21F), A100A, A100C, B100
Sunspot 46 LX	01-2130-LX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-LX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Beechcraft	200, 200C, 200CT, 200T, B200, B200C, B200CT, B200T, 300, 300LW, B300, B300C, B300C (MC-12W), B300C (UC-12W), 1900, 1900C, 1900C (C-12J), 1900D, A100-1 (U-21J), A200 (C-12A), A200 (C-12C), A200C (UC-12B), A200CT (C-12D), A200CT (FWC-12D), A200CT (C-12F), A200CT (RC-12D), A200CT (RC-12G), A200CT (RC-12H), A200CT (RC-12K), A200CT (RC-12P), A200CT (RC-12Q), B200C (C-12F), B200C (UC-12M), B200C (C-12R), B200C (UC-12F), B200GT, B200CGT

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 46 LX	01-2130-LX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-LX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Textron Aviation Inc.	310, 310A (USAF U-3A), 310B, 310C, 310D, 310E (USAF U-3B), 310F, 310G, 310H, E310H, 310I, 310J, 310J-1, 310K, 310L, 310N, 310P, T310P, 310Q, T310Q, 310R, T310R
Sunspot 46 LX	01-2130-LX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-LX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Textron Aviation Inc.	320, 320-1, 320A, 320B, 320C, 320D, 320E, 320F, 335, 340, 340A
Sunspot 46 LX	01-2130-LX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-LX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Textron Aviation Inc.	401, 401A, 401B, 402, 402A, 402B, 402C, 411, 411A, 414, 414A, 421, 421A, 421B, 421C, 425
Sunspot 46 LX	01-2130-LX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-LX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Textron Aviation Inc.	404, 406
Sunspot 46 LX	01-2130-LX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-LX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Textron Aviation Inc.	441
Sunspot 46 LX	01-2130-LX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-LX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Mooney International Corporation	M20, M20A, M20B, M20C, M20D, M20E, M20F, M20G, M20J, M20K, M20L, M20M, M20R, M20S, M20TN

<u>ARTICLE NAME</u>	<u>PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR PART NUMBER</u>	<u>APPROVAL BASIS AND APPROVED DESIGN DATA</u>	<u>MAKE ELIGIBILITY</u>	<u>MODEL ELIGIBILITY</u>
Sunspot 46 LX	01-2130-LX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-LX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Mooney International Corporation	M22
Sunspot 46 LX	01-2130-LX	Modification Part	STC SA02386AK <u>DWG No:</u> 01-2130-LX <u>Rev:</u> B <u>Dated:</u> 6/5/2014 or later FAA-approved revisions	Viking Air Limited	DHC-6-400

-----End of Listing-----

Note: The procedures that have been accepted by the type certificate or TSO authorization holder and its cognizant FAA Aircraft Certification Office, for minor changes to original articles used on type-certificated products, are also acceptable for incorporating the same minor changes on identical PMA replacement articles. The PMA holder must be able to show traceability relating to the TC, STC, or TSO authorization holder on all minor changes incorporated by this procedure. When these procedures are no longer applicable because of completion of the production contract, or termination of the licensing agreement or business relationship, all subsequent minor design changes to the PMA articles must be submitted in a manner as determined by the ACO. Major design changes (reference 14 CFR §§ 21.319 and 21.619) to drawings and specifications are to be handled in the same manner as that for an original PMA.

Chris Spangenberg, Manager
Seattle Manufacturing Inspection
District Office