

Safety Data Sheet
acc. to OSHA HCS

Printing Date 08/26/2015

Revision Number 1

Revision Date 08/26/2015

1 Identification

- **Product identifier**
- **Trade name:** WS-8070 B-1/2 Base
- **Relevant identified uses of the substance or mixture, Sealant**
- **Application of the substance / the mixture Sealant**
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Royal Adhesives & Sealants
800 E. Anaheim Street
Wilmington, CA 90744
(310) 830-9904
- **Information department:** Environment protection department.
- **Emergency telephone number:**
ChemTrec: Day or Night within USA and Canada: 1-800-424-9300.
Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Carc. 1A H350 May cause cancer.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing Date 08/26/2015

Revision Number 1

Revision Date 08/26/2015

Trade name: WS-8070 B-1/2 Base

(Contd. of page 1)

· **Hazard pictograms**

GHS02 GHS07 GHS08

· **Signal word** *Danger*· **Hazard statements***Highly flammable liquid and vapor.**Causes skin irritation.**Causes serious eye irritation.**May cause an allergic skin reaction.**May cause cancer.**Suspected of damaging fertility or the unborn child.**May cause damage to organs through prolonged or repeated exposure.**Harmful to aquatic life with long lasting effects.*· **Precautionary statements***Keep away from heat/sparks/open flames/hot surfaces. - No smoking.**Use explosion-proof electrical/ventilating/lighting/equipment.**Do not breathe dust/fume/gas/mist/vapors/spray.**Wear protective gloves / eye protection / face protection.**Ground/bond container and receiving equipment.**Keep container tightly closed.**Use only non-sparking tools.**Avoid release to the environment.**Take precautionary measures against static discharge.**Wash thoroughly after handling.**Contaminated work clothing must not be allowed out of the workplace.**Obtain special instructions before use.**Do not handle until all safety precautions have been read and understood.**IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.**If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.**Continue rinsing.**Specific treatment (see on this label).**Wash contaminated clothing before reuse.**IF exposed or concerned: Get medical advice/attention.**If skin irritation or rash occurs: Get medical advice/attention.**If eye irritation persists: Get medical advice/attention.**Get medical advice/attention if you feel unwell.**In case of fire: Use for extinction: CO2, powder or water spray.**Take off contaminated clothing and wash it before reuse.**Store locked up.**Store in a well-ventilated place. Keep cool.**Dispose of contents/container in accordance with local/regional/national/international regulations.*· **Classification system:**· **NFPA ratings (scale 0 - 4)**

Health = 2

Fire = 3

Reactivity = 0

(Contd. on page 3)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing Date 08/26/2015

Revision Number 1

Revision Date 08/26/2015

Trade name: WS-8070 B-1/2 Base

(Contd. of page 2)

· **HMIS-ratings (scale 0 - 4)**

HEALTH	2	Health = 2
FIRE	3	Fire = 3
PHYSICAL HAZARD	0	Physical Hazard = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description: Mixture**

· **Hazardous components:**

68611-50-7	Polysulphide Elastomer	25-50%
68611-50-7	Polysulphide Polymer	10-25%
471-34-1	calcium carbonate	5-20%
13463-67-7	titanium dioxide	2.5-10%
13423-61-5	Magnesium Chromate	2.5-10%
108-88-3	toluene	2.5-10%
108-95-2	phenol	≤0.5%
28470-78-2	Phenolic Resin	≤0.5%
50-00-0	formaldehyde	≤0.09%

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:**
Remove person to fresh air and provide oxygen if breathing is difficult. Get immediate medical attention.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for 20 minutes under running water. If eye becomes irritated, obtain medical treatment.
- **After swallowing:** Seek medical treatment.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray.
Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**
In a fire condition product will generate oxides of Sulphur and trace amounts of Phenol and Formaldehyde.

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

Printing Date 08/26/2015

Revision Number 1

Revision Date 08/26/2015

Trade name: WS-8070 B-1/2 Base

(Contd. of page 3)

- **Advice for firefighters**
- **Protective equipment:** Protective clothing and respiratory protective device.

* **6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste in accordance with federal state and local regulations.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

* **7 Handling and storage**

- **Handling:**
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location away from direct heat.
- **Information about storage in one common storage facility:** Keep away from open flames and high temperatures.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

* **8 Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**

13463-67-7 titanium dioxide	
PEL	Long-term value: 15* mg/m ³ *total dust
REL	See Pocket Guide App. A
TLV	Long-term value: 10 mg/m ³ withdrawn from NIC
108-88-3 toluene	
PEL	Long-term value: 200 ppm Ceiling limit value: 300; 500* ppm *10-min peak per 8-hr shift

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Printing Date 08/26/2015

Revision Number 1

Revision Date 08/26/2015

Trade name: WS-8070 B-1/2 Base

(Contd. of page 4)

REL Short-term value: 560 mg/m³, 150 ppm
Long-term value: 375 mg/m³, 100 ppm

TLV Long-term value: 75 mg/m³, 20 ppm
BEI

108-95-2 phenol

PEL Long-term value: 19 mg/m³, 5 ppm
Skin

REL Long-term value: 19 mg/m³, 5 ppm
Ceiling limit value: 60* mg/m³, 15.6* ppm
*15-min; Skin

TLV Long-term value: 19 mg/m³, 5 ppm
Skin; BEI

50-00-0 formaldehyde

PEL Short-term value: 2 ppm
Long-term value: 0.75 ppm
see 29 CFR 1910.1048(c)

REL Long-term value: 0.016 ppm
Ceiling limit value: 0.1* ppm
*15-min; See Pocket Guide App. A

TLV Ceiling limit value: 0.37 mg/m³, 0.3 ppm
DSEN; RSEN

· Ingredients with biological limit values:**108-88-3 toluene**

BEI 0.02 mg/L
Medium: blood
Time: prior to last shift of workweek
Parameter: Toluene

0.03 mg/L
Medium: urine
Time: end of shift
Parameter: Toluene

0.3 mg/g creatinine
Medium: urine
Time: end of shift
Parameter: o-Cresol with hydrolysis (background)

108-95-2 phenol

BEI 250 mg/g creatinine
Medium: urine
Time: end of shift
Parameter: Phenol with hydrolysis (background, nonspecific)

· Additional information:

Formaldehyde - Trace amounts of Formaldehyde are present in the mixture. However, it is unlikely that this chemical will be released as the curing process is at ambient temperature.

The lists that were valid during the creation were used as basis.

· Exposure controls**· Personal protective equipment (see listings below)****· General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

(Contd. on page 6)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing Date 08/26/2015

Revision Number 1

Revision Date 08/26/2015

Trade name: WS-8070 B-1/2 Base

(Contd. of page 5)

Wash hands before breaks and at the end of work.

· **Breathing equipment:**

In the absence of adequate ventilation, use NIOSH-certified respiratory protection when chemical exposure is excessive or above an established exposure limit. Comply with OSHA 29 CFR 1910.134.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Material of gloves**

Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Safety glasses with side shields.



Tightly sealed goggles

· **Body protection:** Protective work clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Paste
Color:	Whitish
Odor:	Characteristic

· **Change in condition**

Melting point: Undetermined.

· **Boiling point:**

Flash point: 4 °C (39 °F)

· **Auto igniting:**

Product is not selfigniting.

· **Danger of explosion:**

Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· **Specific gravity at 20 °C (68 °F):** 1.46 g/cm³ (12.184 lbs/gal)

· **Solubility in / Miscibility with**

Water: Not miscible or difficult to mix.

· **Solvent content:**

VOC (Per EPA 24) N/A GMS/L

Solids content: not available

(Contd. on page 7)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing Date 08/26/2015

Revision Number 1

Revision Date 08/26/2015

Trade name: WS-8070 B-1/2 Base

(Contd. of page 6)

· **Other information** No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** Strong oxidizing agents.
- **Conditions to avoid** Heat, flames, sparks, hot surfaces, ignition sources.
- **Incompatible materials:** Reacts with oxidizing agents.
- **Hazardous decomposition products:**
Carbon Dioxide and Carbon Monoxide. Oxides of Sulphur. Trace amounts of Formaldehyde, Phenol, Hydrogen Sulphide.
- **Additional information:**
Trace amounts of Formaldehyde are contained in this product. However, it is unlikely that this chemical will be released as the curing process is at ambient temperature.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· LD/LC50 values that are relevant for classification:

108-88-3 toluene		
Oral	LD50	5000 mg/kg (rat)
Dermal	LD50	12124 mg/kg (rabbit)
Inhalative	LC50/4 h	5320 mg/l (mouse)
108-95-2 phenol		
Oral	LD50	317 mg/kg (rat)
Dermal	LD50	850 mg/kg (rabbit)
50-00-0 formaldehyde		
Oral	LD50	>200 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:** Skin irritant.
- **on the eye:**
Irritating effect.
Vapors may be irritating to the eyes.
- **Sensitization:** Skin Contact - Sensitization possible through skin contact.
- **Additional toxicological information:**
Inhalation - Vapors may be severely irritating to the respiratory tract.
Ingestion - May be harmful if ingested.
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
13463-67-7	titanium dioxide	2B
13423-61-5	Magnesium Chromate	1
108-88-3	toluene	3

(Contd. on page 8)

USA

Safety Data Sheet
acc. to OSHA HCS

Printing Date 08/26/2015

Revision Number 1

Revision Date 08/26/2015

Trade name: WS-8070 B-1/2 Base

		(Contd. of page 7)
108-95-2	phenol	3
50-00-0	formaldehyde	1
· NTP (National Toxicology Program)		
13423-61-5	Magnesium Chromate	K
50-00-0	formaldehyde	K
· OSHA-Ca (Occupational Safety & Health Administration)		
50-00-0	formaldehyde	

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:** At present there are no ecotoxicological assessments.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Must be specially treated adhering to official regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN-Number**
- **DOT, ADR, IMDG, IATA** UN1133
- **UN proper shipping name**
- **DOT** Adhesives
- **ADR** 1133 Adhesives
- **IMDG, IATA** ADHESIVES

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing Date 08/26/2015

Revision Number 1

Revision Date 08/26/2015

Trade name: WS-8070 B-1/2 Base

(Contd. of page 8)

· **Transport hazard class(es)**

· **DOT**



· **Class** 3 Flammable liquids
 · **Label** 3

· **ADR, IMDG, IATA**



· **Class** 3 Flammable liquids
 · **Label** 3

· **Packing group**

· **DOT, ADR, IMDG, IATA** III

· **Environmental hazards:** Not applicable.

· **Special precautions for user** Warning: Flammable liquids

· **Danger code (Kemler):** 33

· **EMS Number:** F-E,S-E

· **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

· **Transport/Additional information:** The Packing Group assignment for this material is based on 49 CFR 173.121. PG III may be used provided the capacity of packaging is not more than 30L (7.9 gallons). Larger containers (example 55 gallon drums) will be classified as PG II.

· **UN "Model Regulation":** UN1133, Adhesives, 3, III

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Sara**

· **Section 355 (extremely hazardous substances):**

108-95-2 phenol

50-00-0 formaldehyde

· **Section 313 (Specific toxic chemical listings):**

13423-61-5 Magnesium Chromate

108-88-3 toluene

108-95-2 phenol

50-00-0 formaldehyde

· **TSCA (Toxic Substances Control Act):**

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

(Contd. on page 10)

-USA

Safety Data Sheet

acc. to OSHA HCS

Printing Date 08/26/2015

Revision Number 1

Revision Date 08/26/2015

Trade name: WS-8070 B-1/2 Base

(Contd. of page 9)

· **Proposition 65**

· **Chemicals known to cause cancer:**

13463-67-7	titanium dioxide
13423-61-5	Magnesium Chromate
50-00-0	formaldehyde

· **Chemicals known to cause reproductive toxicity:**

13423-61-5	Magnesium Chromate
108-88-3	toluene

· **(DSL) Canada Domestic Substance List**

All components of this product are on the DSL (Canada Domestic Substance list) or are exempt from DSL requirements.

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

108-88-3	toluene	II
108-95-2	phenol	D, I
50-00-0	formaldehyde	B1

· **TLV (Threshold Limit Value established by ACGIH)**

13463-67-7	titanium dioxide	A4
108-88-3	toluene	A4
108-95-2	phenol	A4
50-00-0	formaldehyde	A2

· **MAK (German Maximum Workplace Concentration)**

13463-67-7	titanium dioxide	3A
108-95-2	phenol	3B
50-00-0	formaldehyde	4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

13463-67-7	titanium dioxide
50-00-0	formaldehyde

· **National regulations:**

- **Water hazard class:** Water hazard class 3 (Self-assessment): extremely hazardous for water.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

- **Department issuing SDS:** Environment protection department.
- **Creation Date:** 07/05/2013
- **Date of preparation / last revision:** 08/26/2015 / -
- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 11)

USA

Safety Data Sheet
acc. to OSHA HCS

Printing Date 08/26/2015

Revision Number 1

Revision Date 08/26/2015

Trade name: WS-8070 B-1/2 Base

(Contd. of page 10)

ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids, Hazard Category 2
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1
Carc. 1A: Carcinogenicity, Hazard Category 1A
Repr. 2: Reproductive toxicity, Hazard Category 2
STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

USA

Safety Data Sheet acc. to OSHA HCS

Printing Date 03/05/2015

Revision Number 1

Revision Date 03/05/2015

1 Identification

- **Product identifier**
- **Trade name:** *WS-8070 B-1/2 CA*
- **Relevant identified uses of the substance or mixture.** *Activator*
- **Application of the substance / the mixture** *Activator*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
*Royal Adhesives And Sealants, LLC
 2001 W. Washington Street
 South Bend IN 46628-2023
 Information Phone Number: 574-246-5000*
- **Information department:** *Environment protection department.*
- **Emergency telephone number:**
*ChemTrec: Day or Night within USA and Canada: 1-800-424-9300.
 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)*

2 Hazard(s) identification

- **Classification of the substance or mixture**



Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- **Label elements**
- **GHS label elements** *The product is classified and labeled according to the Globally Harmonized System (GHS).*
- **Hazard pictograms**



GHS07

- **Signal word** *Warning*
- **Hazard statements**
*Harmful if swallowed or if inhaled.
 Harmful to aquatic life with long lasting effects.*
- **Precautionary statements**
*If medical advice is needed, have product container or label at hand.
 Keep out of reach of children.
 Read label before use.
 Avoid breathing dust/fume/gas/mist/vapors/spray
 Avoid release to the environment.
 Wash thoroughly after handling.
 Do not eat, drink or smoke when using this product.
 Use only outdoors or in a well-ventilated area.*

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing Date 03/05/2015

Revision Number 1

Revision Date 03/05/2015

Trade name: *WS-8070 B-1/2 CA*

(Contd. of page 1)

If swallowed: Call a poison center/doctor if you feel unwell.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a poison center/doctor if you feel unwell.

Rinse mouth.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• **Classification system:**

• **NFPA ratings (scale 0 - 4)**



• **HMIS-ratings (scale 0 - 4)**

HEALTH	2	Health = 2
FIRE	1	Fire = 1
PHYSICAL HAZARD	0	Physical Hazard = 0

• **Other hazards**

• **Results of PBT and vPvB assessment**

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

3 Composition/information on ingredients

• **Chemical characterization: Mixtures**

• **Description:** Mixture of the substances listed below with nonhazardous additions.

• **Dangerous components:**

1313-13-9	manganese dioxide	50-100%
61788-32-7	Hydrogenated Terphenyl	25-50%
102-06-7	1,3-diphenylguanidine	2.5-10%
26140-60-3	Terphenyl	≤2.5%
	Zinc Compounds	≤2.5%
	Amorphous Fumed Silica	≤2.5%

4 First-aid measures

• **Description of first aid measures**

• **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

• **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

• **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

• **After swallowing:**

Immediately call a doctor.

Seek medical treatment.

• **Information for doctor:**

• **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing Date 03/05/2015

Revision Number 1

Revision Date 03/05/2015

Trade name: WS-8070 B-1/2 CA

- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

(Contd. of page 2)

* 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray.
Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters** Use water spray in a fire condition.
- **Protective equipment:** Mouth respiratory protective device.

* 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste in accordance with federal state and local regulations.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

* 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location away from direct heat.
- **Information about storage in one common storage facility:** Store away from oxidizing agents.
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

USA

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing Date 03/05/2015

Revision Number 1

Revision Date 03/05/2015

Trade name: *WS-8070 B-1/2 CA*

(Contd. of page 3)

8 Exposure controls/personal protection

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

1313-13-9 manganese dioxide	
<i>PEL</i>	Ceiling limit value: 5 mg/m ³ as Mn
<i>REL</i>	Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ as Mn
<i>TLV</i>	Long-term value: 0.02* 0.1* mg/m ³ as Mn; *respirable **inhalable fraction
26140-60-3 Terphenyl	
<i>STEL</i>	Short-term value: C 5 mg/m ³
Zinc Compounds	
<i>PEL</i>	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction
<i>REL</i>	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
<i>TLV</i>	Long-term value: 10 mg/m ³

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment (see listings below)**

· **General protective and hygienic measures:**

- Immediately remove all soiled and contaminated clothing.
- Keep away from foodstuffs, beverages and feed.
- Wash hands before breaks and at the end of work.

· **Breathing equipment:** Not necessary if room is well-ventilated.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Material of gloves**

Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Safety glasses with side shields.

· **Body protection:** Protective work clothing

USA

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing Date 03/05/2015

Revision Number 1

Revision Date 03/05/2015

Trade name: WS-8070 B-1/2 CA

(Contd. of page 4)

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Paste

Color: Black

· **Odor:** Characteristic

· **Odour threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point: Undetermined.

· **Boiling point:** > 150 °C (> 302 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 373 °C (703 °F)

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Flammable limits:**

Lower: Not Determined

Upper: Not Determined

· **Vapor pressure:** Not determined.

· **Specific gravity at 20 °C (68 °F):** 1.923 g/cm³ (16.047 lbs/gal)

· **Relative density** Not determined.

· **Vapour density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

Water: Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

Dynamic: Not determined.

Kinematic: Not determined.

· **Solvent content:**

Organic solvents: 0.0 %

VOC (Per EPA 24) Not Available GMS/L

Solids content: 67.3 %

· **Other information** No further relevant information available.

10 Stability and reactivity

· **Reactivity**

· **Chemical stability**

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **Possibility of hazardous reactions** No dangerous reactions known.

· **Conditions to avoid** No further relevant information available.

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Printing Date 03/05/2015

Revision Number 1

Revision Date 03/05/2015

Trade name: WS-8070 B-1/2 CA

(Contd. of page 5)

- **Incompatible materials:** Reacts with oxidizing agents.
- **Hazardous decomposition products:**
Hydrogen chloride (HCl)
Hydrocarbons

* **11 Toxicological information**

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

61788-32-7 Hydrogenated Terphenyl

Oral	LD50	>12500 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)
Inhalative	LC50/4 h	>4.7 mg/l (rat)

- **Primary irritant effect:**
 - **on the skin:** May irritate the skin.
 - **on the eye:** May irritate the eye.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

* **12 Ecological information**

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:** At present there are no ecotoxicological assessments.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

USA

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing Date 03/05/2015

Revision Number 1

Revision Date 03/05/2015

Trade name: WS-8070 B-1/2 CA

(Contd. of page 6)

13 Disposal considerations

- *Waste treatment methods*
- *Recommendation: Must be specially treated adhering to official regulations.*
- *Uncleaned packagings:*
- *Recommendation: Disposal must be made according to official regulations.*

14 Transport information

- | | |
|--|------------------------|
| · <i>UN-Number</i> | |
| · <i>DOT, ADR, ADN, IMDG, IATA</i> | <i>not regulated</i> |
| · <i>UN proper shipping name</i> | |
| · <i>DOT, ADR, ADN, IMDG, IATA</i> | <i>not regulated</i> |
| · <i>Transport hazard class(es)</i> | |
| · <i>DOT, ADR, ADN, IMDG, IATA</i> | |
| · <i>Class</i> | <i>not regulated</i> |
| · <i>Packing group</i> | |
| · <i>DOT, ADR, IMDG, IATA</i> | <i>not regulated</i> |
| · <i>Environmental hazards:</i> | <i>Not applicable.</i> |
| · <i>Special precautions for user</i> | <i>Not applicable.</i> |
| · <i>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</i> | <i>Not applicable.</i> |
| · <i>UN "Model Regulation":</i> | - |

15 Regulatory information

- *Safety, health and environmental regulations/legislation specific for the substance or mixture*
- *Sara*

· *Section 355 (extremely hazardous substances):*

None of the ingredients is listed.

· *Section 313 (Specific toxic chemical listings):*

Zinc Compounds

· *TSCA (Toxic Substances Control Act):*

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

· *Proposition 65*

· *Chemicals known to cause cancer:*

None of the ingredients is listed.

· *Chemicals known to cause reproductive toxicity:*

None of the ingredients is listed.

· *(DSL) Canada Domestic Substance List*

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

(Contd. on page 8)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing Date 03/05/2015

Revision Number 1

Revision Date 03/05/2015

Trade name: **WS-8070 B-1/2 CA**

(Contd. of page 7)

· **Carcinogenicity categories**

· EPA (Environmental Protection Agency)		
1313-13-9	manganese dioxide	D
	Zinc Compounds	II

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients listed.

· **MAK (German Maximum Workplace Concentration)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **National regulations:**

- **Water hazard class:** Water hazard class 2 (Self-assessment): hazardous for water.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

- **Department issuing SDS:** Environment protection department.
- **Creation Date:** 04/17/2012
- **Date of preparation / last revision** 03/05/2015 / -

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
Acute Tox. 4: Acute toxicity, Hazard Category 4
Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

USA